



Warning: Review Before Submittal

- Failure to Provide Accurate and Complete Information could result in the following: Delayed Controller Shipment, Price Change, and Incurred Engineering Charges.
- If a job specification is included you must complete the 'Build to Job Specification' section on page 3.
- All Fixtures must be 24 VDC/6 Watts Max.
- If a category is not completed, the **default** option will be assumed.

Table of Contents	
1. Job Information	6. Fixtures
2. Shipping & Pre-Wire	7. Car Door Data
3. General Controller Information	8. Landings and Openings
4. Motor and Valve Data	9. Elevator(s) Physical Layout
5. Features & Functions	

This document can be edited, saved, and submitted electronically using Adobe Reader.

Job Details		Market Segment:		
Job Name:	<input type="text"/>	<input type="checkbox"/> Federal	<input type="checkbox"/> Health Care	<input type="checkbox"/> Financial
PO #:	<input type="text"/>	<input type="checkbox"/> Education	<input type="checkbox"/> Hospitality	<input type="checkbox"/> Residential
Job Location (City & State)	<input type="text"/>			<input type="checkbox"/> Other

Purchasers Information: (If packager fill in End User Info on right)	
Name:	<input type="text"/>
Title:	<input type="text"/>
Company:	<input type="text"/>
Phone:	<input type="text"/>
Cell:	<input type="text"/>
Email:	<input type="text"/>
Engineering Contact Information: (If different than above)	
Name:	<input type="text"/>
Phone:	<input type="text"/>
Cell:	<input type="text"/>
Email:	<input type="text"/>
<input type="text"/>	Date Filled Out

End User Information: (for packager use only)	
Name:	<input type="text"/>
Title:	<input type="text"/>
Company:	<input type="text"/>
Phone:	<input type="text"/>
Cell:	<input type="text"/>
Email:	<input type="text"/>

Notes and Special Instructions

Shipping Information	
Contact Name: <input style="width: 95%;" type="text"/> Phone: <input style="width: 60%;" type="text"/> <input style="width: 35%;" type="text"/> Contact Fax/Email: <input style="width: 95%;" type="text"/>	
Smartrise Call Prior to Shipping: <input type="checkbox"/> Yes <input type="checkbox"/> No Carrier Call for Delivery Appointment: <input type="checkbox"/> Yes <input type="checkbox"/> No Lift Gate Required: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Freight Terms Use Smartrise Carrier: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Will Call <input type="checkbox"/> Pre-paid	Customer's Carrier Name: <input style="width: 95%;" type="text"/> Carrier's Account Number: <input style="width: 95%;" type="text"/> <input type="checkbox"/> Collect <input type="checkbox"/> Third Party Third Party Billing (Duites & Taxes) <input style="width: 95%;" type="text"/>
Ship to Name/Company: <input style="width: 95%;" type="text"/> Shipping Address: <input style="width: 95%; height: 40px;" type="text"/>	Bill To Address: <input style="width: 95%; height: 40px;" type="text"/>

Shipping Schedule			
Controller(s)	Desired Ship Date from Smartrise	Controller(s)	Desired Ship Date from Smartrise
<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>
<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>
<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>
<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>	<input style="width: 95%;" type="text"/>

Note: Desired ship date from Smartrise is not an arrival date.

Pre-wire Fixtures (Must be 24 VDC/6 Watt Max)		Not Required <input type="checkbox"/>
Pre-wire COP Boards: <input type="checkbox"/> Yes <input type="checkbox"/> No (default) Pre-wire Hall Boards: <input type="checkbox"/> Yes <input type="checkbox"/> No (default)		
Fixture Manufacturer <input type="checkbox"/> Innovation <input type="checkbox"/> ECC <input type="checkbox"/> Other <input type="checkbox"/> Monitor <input type="checkbox"/> MAD <input type="checkbox"/> PTL <input type="checkbox"/> Otis <input type="checkbox"/> RSL Car Calls <input type="checkbox"/> RSL Hall Calls	Company Name: <input style="width: 95%;" type="text"/> Ship to Address: <input style="width: 95%; height: 40px;" type="text"/>	
Job Reference: <input style="width: 95%;" type="text"/>	Contact Person at Mfg. <input style="width: 95%;" type="text"/>	

Electrical Main Line and Transformer Specification	
Main Line Specification:	
<input type="text"/>	Main Line Volts (Transformer required if motor volts are different more than 10%)
<input type="checkbox"/>	Three Phase (default)
<input type="checkbox"/>	Single Phase
<input type="checkbox"/>	Hz (Main Line is 60Hz unless stated otherwise)
Main Line Transformer (If Customer Requires)	
<input type="checkbox"/>	Provided by Smartrise
<input type="checkbox"/>	Provided By Customer (customer to provide drawing)
<input type="text"/>	Secondary Voltage
<input type="text"/>	kVA
<input type="checkbox"/>	Data Plate Copy Included

Environmental Considerations	Not Required
<input type="checkbox"/>	Controller Cabinet Air-pressure cooled (add Vortex) <small>(Customer to provide Air Compressor)</small>
<input type="checkbox"/>	Controller Cabinet Air conditioned cooled (add A/C Unit) Controller
<input type="checkbox"/>	Cabinet Forced Air cooled (add Fan and Filter)
<input type="checkbox"/>	Arc Flash Protection
<input type="checkbox"/>	Special attention to hoist-way shaft (provide details in notes below)
<input type="checkbox"/>	Outdoor or Hostile (Industrial Environment)
<input type="text"/>	NEMA Rating for Machine Room Controller Cabinet (if required, default NEMA 1)
<input type="text"/>	NEMA Rating for Top of Car Enclosure (if required, default NEMA 1)
<input type="text"/>	NEMA For Landing System (if required, default NEMA 1)

Connection Package (Run Box)	
<input type="checkbox"/>	SmartConnect Package - Recommended (Pre-Wired Car Top Inspection Box Included)
<input type="checkbox"/>	Otis

Car Operating Panel	
<input type="checkbox"/>	Single Panel (default)
<input type="checkbox"/>	Other
<input type="checkbox"/>	Dual Panels
<input type="checkbox"/>	Remote Panel

Notes and Special Instructions

Configuration	
<input type="checkbox"/>	Simplex
<input type="text"/>	# Cars
<input type="checkbox"/>	Group
<input type="text"/>	# Cars in Group
<input type="text"/>	# of Hall Risers/Group
<input type="checkbox"/>	Group Redundancy
<input type="text"/>	Swing Riser, Car #
<input type="checkbox"/>	Selective Collective (2 buttons/floor, multiple calls)
<input type="checkbox"/>	Non-Selective Collective (1 button/floor, multiple calls)
<input type="checkbox"/>	Non-Selective Non-collective (1 button/floor, 1 call at a time)

Build to Job Specifications	Not Required
<input type="checkbox"/>	We will review the spec and will provide a list of exceptions when necessary.
<input type="checkbox"/>	Job needs to be built to meet Engineering Specifications in Document provided EXCEPT those listed below (Provide Page/Section & Description of exceptions)

ASME 17.1 Elevator Safety Code Compliance	
<input type="checkbox"/>	2016
<input type="checkbox"/>	2013
<input type="checkbox"/>	2010
<input type="checkbox"/>	2007
<input type="checkbox"/>	2004
<input type="checkbox"/>	2000
<input type="checkbox"/>	NYC (Appendix K)
<input type="checkbox"/>	No Fire Service
<input type="checkbox"/>	MASSACHUSETTS
<input type="text"/>	

Controller Layout Preference	
<input type="checkbox"/>	Standard (MR, CT, and COP) (default)
<input type="checkbox"/>	No Cartop
<input type="checkbox"/>	No COP
<input type="checkbox"/>	Custom: <input type="text"/>
We will notify you if the preference chosen cannot be honored	

Hydraulic Features, Motor, and Valve Data

Hydraulic Features (Features for all cars is the same as car 1) **Failure to provide data will result in delay of controller shipment** Not Applicable

Car	Contract Speed	Capacity	Battery Lowering	Low Pressure, Low Oil, and Oil temp are all included.	Viscosity Control	Adams Life Jacket	Roped	Gov Reset Coil Is	
1			<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Is 24vdc	Is 120vac
2			<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3			<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4			<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Only if Roped Hydro

Motor & Valve Data (Data for all cars is the same as car 1) **Failure to provide data will result in delay of controller shipment**

Car	# Motor Leads	Motor Volts	FLA	HP	Valve Brand/Model	Valve Volts	# of Valves (1 Standard)	# of Coils (4 Standard)	Dual Jacks
1						Must be 110/115/120 vac			<input type="checkbox"/>
2						Must be 110/115/120 vac			<input type="checkbox"/>
3						Must be 110/115/120 vac			<input type="checkbox"/>
4						Must be 110/115/120 vac			<input type="checkbox"/>

Hydraulic Motor Control Preference

- Sprecher+Schuh (Soft Starter) (default)
- Siemens (Soft Starter)
- Wye-Delta (via Contactors)
- Across the Line (via Contactors)

We will notify you if the preference chosen cannot be honored

Notes and Special Instructions

Special Features Not Required

<input type="checkbox"/> Remote (2 nd) Fire Keyswitch & Lamp	<input type="checkbox"/> Shunt-Trip
<input type="checkbox"/> Earthquake <small>(Includes Buzzer and Lamp)</small>	<input type="checkbox"/> Flood Sensor
<input type="checkbox"/> Car-to-Lobby Keyswitch	<input type="checkbox"/> 'S' Button
<input type="checkbox"/> Fan and Light Auto Shutoff Circuit (CT only)	
<input type="checkbox"/> Machine Room Cabinet Light	
<input type="checkbox"/> Machine Room Cabinet Power Plug	
<input type="checkbox"/> Mechanical Normal Limits <small>(Mechanical Switches not provided by Smartrise)</small>	

Special Modes of Operation Not Required

Independent Service (default)

Hoistway Access Yes (default) No

In-Car Inspection Switch (uses top/bottom car calls)

CT Inspection requires an In Car Inspection (Hoist-way or IC)

Non-standard

Medical Emergency Service (provide floor(s) on page 8)

Building is a Hospital with keys at every floor
In Car Buzzer, In Car Lamp, and Hallway Lamp at each Floor are included

Non-hospital – Phase 1 key at main level only
In Car Buzzer and In Car Lamp are included

Sabbath (attach spec)

Other

Emergency Power (if generator cannot run all cars) Not Required

E.P. Contact from Generator is
 Normally Open Normally Closed

Power Pre-Transfer Contact from Generator is
 Normally Open Normally Closed Not Present
(default)

Emergency Power Car Selector Switch
 Single Car Selection Multiple Car Selection (provide details below)
(default)

Number of cars the generator can operate simultaneously.
(default value is 1 car)

Generator powers other Simplex/Groups.

Car Call Security (specify floors on page 9) Not Required

Using COP Floor Buttons as Code Entry

Using Dry Contacts from Card Readers and/or Keyswitches
 Inputs in Car Station (default) Inputs in Machine Room

Override Security When on Independent Service or Attendant Service

Provide a Car Call Security Override Input
 Input in Car Station (default) Input in Machine Room

Door Open Button Functions on Secured Landings

Other Considerations

Hall Call Security Not Required

Provide Enable/Disable all Hall Calls Input (simplex)

Provide a Hall Call Security Override Input (per floor)
 Dry Contacts in Hall Fixtures Signals in Machine Room
(default)

Other Considerations

Controller Monitoring System Not Required

Designed and Manufactured by Smartrise Engineering

SmartView 2.0 Monitoring

Quantity

Number of 7 Inch Viewing Devices

Number of 11 Inch Viewing Devices

Number of 19 Inch Viewing Devices

Access outside of Machine Room
Outside machine room requires cloud subscription through Smartrise and internet access. Inside the machine room requires WiFi on PC or tablet.

Designed and Manufactured by Integrated Display Systems

Lift-Net (interface only)

Designed and Manufactured by Kings III of America

ORM (interface only)

• Custom Traveler and Hoist-way Cable (Purchase from Smartrise)

Draka James Monroe Not Required

	TRAVELER CABLE #1	TRAVELER CABLE #2	TRAVELER CABLE #3	TRAVELER CABLE #4	TRAVELER CABLE #5		HOISTWAY CABLE
CUSTOM LABELING	Yes	Yes	Yes	No	No		Yes
# OF CONDUCTORS	26	33	43	27	69		21
CORE	Jute	Steel	Steel	Jute	Steel		N/A
DIAMETER	1.040"	1.190"	1.370"	0.940"	1.570"		0.640
# OF 14 AWG	4	4	4	3	5		0
# OF 18 AWG	14	20	23	20	40		21
# OF 20 AWG SHIELD	4	4	7	2	11		0
COAXIAL (RG/6U)	0	1	2	0	2		0
APPROVALS / BOTH	UL Type ETT, NEC Compliant, CSA Type ETT, CSA FT1						UL & CSA Hoistway NEC Compliant

Length of Cable(s) Per car (in feet)

	Car 1		
	Car 2		
	Car 3		
	Car 4		
	Car 5		
	Car 6		

• All Fixtures must be 24 VDC/6 Watts Max.

In Car Position Indicator Not Required

CE Micro Com (default) Discrete Signals (one line per floor)

Emotive 3-Wire Discrete Signals (binary)

DL-20 (interface only) RSL

Other: _____

In Hall Position Indicator Not Required

CE Micro Com (default) Discrete Signals (one line per floor)

Emotive 3-Wire Discrete Signals (binary)

EX-51 (interface only) RSL

of Floors with Hall Position Indicators

Other: _____

In Car Arrival Lantern Not Required

CE Micro Com (default) Discrete Signals

Emotive 3-Wire Bulb/Chime wattage (if Discrete):

RSL

Other: _____

In Hall Arrival Lanterns Not Required

First Floor Only (Discrete) CE Micro Com Lanterns (Type: SA130M Req.)

All Floors (Smartrise Hall Boards) Emotive 3-Wire

EX-51/EX31 (interface only) RSL

If Lamps/Gongs are not 24VDC/6 Watt. (explain below)

In Car Passing Chime Not Required

CE Micro Com (default) Discrete Signal RSL

Emotive 3-Wire Bulb/Chime wattage (if Discrete):

In Car Voice Annunciator Not Required

CE Micro Com Emotive 3-Wire Speaker is Remote

RSL

Provided By: Smartrise Customer (must be CE or Emotive 3 wire) (default)

Other: _____

Lobby Panel Not Required

Door Open Lamp In Use Lamp

On Independent Svc. Lamp In Service Lamp

Emergency Power Lamp

Other Requirements

Car Door

Door Type 1	Use this door for all cars, or specify which cars use it				
	All <input type="checkbox"/> F <input type="checkbox"/> R	Car 1 <input type="checkbox"/> F <input type="checkbox"/> R	Car 2 <input type="checkbox"/> F <input type="checkbox"/> R	Car 3 <input type="checkbox"/> F <input type="checkbox"/> R	Car 4 <input type="checkbox"/> F <input type="checkbox"/> R
Hall Door Type					
<input type="checkbox"/> Auto Passenger (default) <input type="checkbox"/> Powered Freight (see * below) <input type="checkbox"/> Manual <input type="checkbox"/> Other					
Select Door Operator					
<input type="checkbox"/>	Abell	ATS 0090	Field "EZ"		
<input type="checkbox"/>	GAL	MODCTL	24vdc interface relays		
<input type="checkbox"/>	GAL	MOD	L, G, or X		
<input type="checkbox"/>	GAL	MOVFR	230vac input voltage		
<input type="checkbox"/>	Kone	Mac	104 or 105D interface board		
<input type="checkbox"/>	Kone	PMSSC	104 or 105D interface board		
<input type="checkbox"/>	Otis	AT-400	240 AC/120 VDC Interface		
<input type="checkbox"/>	Otis	AT-400/Glide P	Multi-Drop		
<input type="checkbox"/>	TKE	Dover HD-03	Requires IO Card: 6300TX2 (110vac)		
<input type="checkbox"/>	TKE	Dover HD-73	Type D/I/O		
<input type="checkbox"/>	TKE	Dover HD-91	DC Motor		
<input type="checkbox"/>	TKE	HDLM	Requires UIT_I/O Card		
<input type="checkbox"/>	Fermator	VVVF5	Linear Door Operator		
<input type="checkbox"/>	None		Manual Car Gate		
<input type="checkbox"/>	Peelle	Wireless	*Input Freight/door information at bottom		
<input type="checkbox"/>	Courion	ILearn			
<input type="checkbox"/>	EMS				
<input type="checkbox"/>	Other		*Input Other door information at bottom		
<input type="checkbox"/> Door Protection					
<input type="checkbox"/> Photo Eye/Light Curtain (default) <input type="checkbox"/> Mechanical Safety Edge <input type="checkbox"/> Door Hold Button					
<input type="checkbox"/> Cam					
<input type="checkbox"/> Mechanical <input type="checkbox"/> DC <input type="checkbox"/> AC (3 Phase) <input type="checkbox"/> AC (Single Phase)					
		Volts	Amps		
<input type="checkbox"/> Gate Release					
<input type="checkbox"/> DC <input type="checkbox"/> AC (3 Phase) <input type="checkbox"/> AC (Single Phase)					
		Volts	Amps		
Other Door Considerations					

Door Type 2	Use this door for all cars, or specify which cars use it				
	All <input type="checkbox"/> F <input type="checkbox"/> R	Car 1 <input type="checkbox"/> F <input type="checkbox"/> R	Car 2 <input type="checkbox"/> F <input type="checkbox"/> R	Car 3 <input type="checkbox"/> F <input type="checkbox"/> R	Car 4 <input type="checkbox"/> F <input type="checkbox"/> R
Hall Door Type					
<input type="checkbox"/> Auto Passenger (default) <input type="checkbox"/> Powered Freight (see * below) <input type="checkbox"/> Manual <input type="checkbox"/> Other					
Select Door Operator					
<input type="checkbox"/>	Abell	ATS 0090	Field "EZ"		
<input type="checkbox"/>	GAL	MODCTL	24vdc interface relays		
<input type="checkbox"/>	GAL	MOD	L, G, or X		
<input type="checkbox"/>	GAL	MOVFR	230vac input voltage		
<input type="checkbox"/>	Kone	Mac	104 or 105D interface board		
<input type="checkbox"/>	Kone	PMSSC	104 or 105D interface board		
<input type="checkbox"/>	Otis	AT-400	240 AC/120 VDC Interface		
<input type="checkbox"/>	Otis	AT-400/Glide P	Multi-Drop		
<input type="checkbox"/>	TKE	Dover HD-03	Requires IO Card: 6300TX2 (110vac)		
<input type="checkbox"/>	TKE	Dover HD-73	Type D/I/O		
<input type="checkbox"/>	TKE	Dover HD-91	DC Motor		
<input type="checkbox"/>	TKE	HDLM	Requires UIT_I/O Card		
<input type="checkbox"/>	Fermator	VVVF5	Linear Door Operator		
<input type="checkbox"/>	None		Manual Car Gate		
<input type="checkbox"/>	Peelle	Wireless	*Input Freight/door information at bottom		
<input type="checkbox"/>	Courion	ILearn			
<input type="checkbox"/>	EMS				
<input type="checkbox"/>	Other		*Input Other door information at bottom		
<input type="checkbox"/> Door Protection					
<input type="checkbox"/> Photo Eye/Light Curtain (default) <input type="checkbox"/> Mechanical Safety Edge <input type="checkbox"/> Door Hold Button					
<input type="checkbox"/> Cam					
<input type="checkbox"/> Mechanical <input type="checkbox"/> DC <input type="checkbox"/> AC (3 Phase) <input type="checkbox"/> AC (Single Phase)					
		Volts	Amps		
<input type="checkbox"/> Gate Release					
<input type="checkbox"/> DC <input type="checkbox"/> AC (3 Phase) <input type="checkbox"/> AC (Single Phase)					
		Volts	Amps		
Other Door Considerations					

* Freight/Other Door Operator Info

Manufacturer	
Model	
Reference #'s	
Job Prints from Door Manufacturer are Required	

Notes and Special Instructions:

Floor Information			Floor Openings				Car Call Security				Hall Call Security				Hosp
	Floor Label	Floor Height	Car 1	Car 2	Car 3	Car 4	Car 1	Car 2	Car 3	Car 4	Car 1	Car 2	Car 3	Car 4	F R
Overhead -> (default 13ft)			F R	F R	F R	F R	F R	F R	F R	F R	F R	F R	F R	F R	F R
	15		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	14		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	13		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	12		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	11		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	10		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	9		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	8		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	7		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	6		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	5		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	4		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	3		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	2		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Default Pit labels Pit -> (default 4ft)			Pit				Pit				Pit				Pit

All cars same as Car 1 All cars same as Car 1 All cars same as Car 1

All walk-through All walk-through All walk-through

All front All front All front

Number of floors: Number of floors: Number of floors:

If mixed F/R please select boxes above.

Include Hall Network Cat5 package
 Controller (MR) to Hall Network (Hoist-way) Cat5 Cable Length 25 ft (default) 50 ft 100 ft

F R Walkthrough Only: Top
 Location of Hoist-way Up/Dn Switch
 Car #s _____

F R Walkthrough Only: Bottom
 Location of Hoist-way Up/Dn Switch
 Car #s _____

Hoist-Way Considerations

Ambient Light Present in Hoist Way

Overlay with Existing Equipment

Cross Cancellation System

Cross Registration System

When you choose one of the above a Smartrise engineer will contact you to gather details about the existing elevator controllers.

Important: Provide Physical Layout on Sheet 9


	Total Hoistway Height (ft)
Car 1	
Car 2	
Car 3	
Car 4	

All cars same as Car 1

Notes and Special Instructions:

Elevator(s) Physical Layout

Example



Draw a topographical map of elevator(s) location on grid provided.

- * Accurately label each car by number/letter
- * Mark openings: F (front) or R (rear)
- * Label risers as:
 - G = Group Riser
 - I = Inconspicuous Riser
 - H = Hospital Service Riser
- * Draw in walls/barriers (heavy line)

Notes/Special Considerations

A large grid for drawing the elevator layout, consisting of 20 columns and 20 rows of squares.