

C4 & HYDRO:EVOLVED

LOCAL & REMOTE
MONITORING

VERSION 4.0



Document History

Date	Version	Summary of Changes
May 13, 2026	4.0	Deleted the NUC Configuration Added the Notification Engine
September 8, 2021	3.0	Added RM application
June 25, 2021	2.0	Updated information with more detail and added screen shots
July 29, 2020	1.0	Initial Submittal

This page is intentionally left blank

Table of Contents

1	Local and Remote Monitoring Applications.....	1
2	Features.....	1
3	Login Page	4
4	Header.....	4
4.1	Hamburger Menu	5
4.2	Toggle Dark/Light Theme	6
4.3	User Account	6
5	Navbar.....	7
6	View – Local Monitoring	8
6.1	Group Model-LM	11
6.2	Car Model-LM.....	12
7	View – Remote Monitoring.....	14
7.1	Group Model-RM.....	16
7.2	Car Model-RM	17
8	Recent Faults List	17
8.1	Fault Details.....	19
8.2	Fault Reports	20
9	Recent Alarms.....	23
9.1	Alarm Details	24
9.2	Alarm Reports.....	25
10	Reports	27
11	Car Calls	28
11.1	Enter Car Calls	28
11.2	Car Controls	30
11.3	Group Controls.....	31
12	Hall Calls	33
13	Parking.....	34
14	Manage-LM.....	35
14.1	Users.....	35
14.1.1	Add User	35

14.1.2	Edit User	38
14.2	Roles	39
14.2.1	Add Role	41
14.2.2	Edit Role	43
14.2.3	Delete Role	44
14.3	Devices.....	45
14.3.1	Edit Device.....	45
14.3.2	Ping the Network.....	48
15	Settings-LM.....	48
15.1	Group Configuration.....	48
16	Remote Monitoring Application.....	50
16.1	Dashboard.....	50
16.2	Manage -RM.....	51
16.2.1	Contractors.....	51
16.2.1.1	Add Contractor	52
16.2.1.2	View Contractors	54
16.2.1.3	Add Site.....	55
16.2.1.4	Add User	58
16.2.1.5	Edit Contractor	60
16.2.1.6	Delete Contractor	62
16.2.2	Sites	63
16.2.2.1	Add Site.....	64
16.2.2.2	View Site	66
16.2.2.3	Add User	67
16.2.2.4	Edit Site.....	69
16.2.2.5	Delete Site.....	71
16.2.3	Jobs.....	72
16.2.3.1	Add Job	72
16.2.3.2	View Job.....	74
16.2.3.3	Edit Job	75
16.2.3.4	Delete Job	77
16.2.4	User	78
16.2.4.1	Add User	79
16.2.4.2	Add Role.....	81
16.2.4.3	Add Permissions	83
16.2.4.4	Edit User	83
16.2.4.5	Delete User	85
16.2.4.6	Impersonate User	86
16.2.5	Roles	86
16.2.5.1	Add Role.....	87
16.2.5.2	Edit Role.....	90

16.2.5.3 Delete Role91

16.3 Notification Engine 92

List of Figures

Figure 1: Login Page.....	4
Figure 2: Header	4
Figure 3: Collapsible Navbar	5
Figure 4: Dark Theme View.....	6
Figure 5: User Account	6
Figure 6: Navbar – LM Figure 7: Navbar – RM	7
Figure 8: Small View-LM	8
Figure 9: Compact View-LM.....	8
Figure 10: Normal View-LM Part 1 of 2	9
Figure 11: Normal View-LM Part 2 of 2	9
Figure 12: Tall View-LM Part 1 of 2.....	10
Figure 13: Tall View-LM Part 2 of 2.....	10
Figure 14: Enter Hall Call-LM	11
Figure 15: Group Control-LM.....	12
Figure 16: Enter Car Call-LM	13
Figure 17: Car Controls-LM	13
Figure 18: Small View-RM.....	14
Figure 19: Compact View-RM	15
Figure 20: Normal View-RM	15
Figure 21: Tall View-RM.....	16
Figure 22: Enter Hall Call-RM.....	16
Figure 23: Enter Car Call-RM.....	17
Figure 24: Recent Faults List-LM.....	18
Figure 25: Recent Faults List-RM	19
Figure 26: Fault and Traction Loss Pop-up.....	19
Figure 27: Reports – Faults Definition	20
Figure 28: Reports – Fault Details Pop-up	21
Figure 29: Report – Faults History	21
Figure 30: Faults Definition - Report.....	22
Figure 31: Faults History - Report	22
Figure 32: Recent Alarms Module-LM	23
Figure 33: Recent Alarms Module-RM.....	24
Figure 34: Alarm Details Pop-up	24
Figure 35: Reports – Alarm Definition	25
Figure 36: Reports – Alarm Details	25
Figure 37: Reports – Alarm History.....	26
Figure 38: Alarm History - Report	26
Figure 39: Enter Car Calls-LM	28
Figure 40: Enter Car Call – Floor Selected-LM	29
Figure 41: Enter Car Call-RM.....	29
Figure 42: Car Control-LM	30
Figure 43: Car Control – Service is Off-LM	31

Figure 44: Group Control – Normal-LM31

Figure 45: Group Control – Independent Service-LM32

Figure 46: Enter Hall Calls-LM33

Figure 47: Enter Hall Calls – Multiple Calls-LM33

Figure 48: Enter Hall Calls-RM34

Figure 49: Parking-LM34

Figure 50: Manage Users-LM35

Figure 51: Add User-LM36

Figure 52: Users created successfully! Pop-Up36

Figure 53: Edit User – Landing Page-LM37

Figure 54: User role updated successfully! Pop-Up37

Figure 55: Edit User Method 1 – Edit Info Button38

Figure 56: Edit User Method 2 – Edit Under Actions38

Figure 57: Edit User Info -LM39

Figure 58: User updated successfully! Pop-Up39

Figure 59: Manage Roles -LM40

Figure 60: Add Role-LM41

Figure 61: Role created successfully! Pop-Up42

Figure 62: Edit Role-LM43

Figure 63: Role updated successfully! Pop-Up44

Figure 64: Confirmation Pop-Up44

Figure 65: Role deleted successfully! Pop-Up44

Figure 66: Manage Devices-LM45

Figure 67: Edit Viewing Devices-LM46

Figure 68: Warning Pop-Up47

Figure 69: Device updated successfully! Pop-Up47

Figure 70: Ping Successful Pop-Up48

Figure 71: Settings – Group Configuration-LM49

Figure 72: File successfully saved! Pop-Up49

Figure 74: Super Admin Dashboard50

Figure 75: Manage Contractors-RM51

Figure 76: Add Contractor RM52

Figure 77: Warning Pop-up52

Figure 78: Contractor created successfully! Pop-up53

Figure 79: View Contractor-RM53

Figure 80: View Contractor – Sites54

Figure 81: View Contractor – User54

Figure 82: Add Site (Contractor)-RM55

Figure 83: Warning Pop-Up56

Figure 84: Site created successfully! Pop-up56

Figure 85: View Contractor-Added Site-RM57

Figure 86: Add User (Contractor)-RM58

Figure 87: Contractor Add User – Value is Required Message59

Figure 88: User created successfully! Pop-Up59

Figure 89: Added User (Contractor)-RM.....60

Figure 90: View Contractor – Edit Info Button60

Figure 91: Manage Contractor – Edit User61

Figure 92: Edit Contractor-RM.....61

Figure 93: Contractor updated successfully! RM.....62

Figure 94: Delete contractor? Pop-Up.....62

Figure 95: Contractor deleted successfully! Pop-Up63

Figure 96: Manage Sites-RM.....63

Figure 97: Add Site(Site) RM.....64

Figure 98: Add Site – Value is Required Message.....65

Figure 99: Site created successfully! Pop-up65

Figure 100: View Site-RM66

Figure 101: View Site – User66

Figure 102: Add User RM.....67

Figure 103: Site Add User – Value is Required Message68

Figure 104: User created successfully! Pop-Up68

Figure 105: Added User69

Figure 106: View Site – Edit Info Button RM69

Figure 107: Manage Site – Edit User RM70

Figure 108: Edit Site RM70

Figure 109: Site updated successfully!71

Figure 110: Delete site? Pop-Up.....71

Figure 111: Site deleted successfully!.....71

Figure 112: Manage Jobs-RM72

Figure 113: Add Job-RM72

Figure 114: Add Job – Value is Required Message73

Figure 115: Job created successfully! Pop-up.....73

Figure 116: View Job-RM74

Figure 117: View Job – Created Job.....74

Figure 118: View Job– Edit Info Button RM.....75

Figure 119: Manage Job – Edit User75

Figure 120: Edit Job RM.....76

Figure 121: Job updated successfully!76

Figure 122: Delete Generic Job Pop-Up.....77

Figure 123: Job deleted! Pop-Up77

Figure 124: Manage User RM78

Figure 125: Add User-RM79

Figure 126: Add User – Value is Required Message80

Figure 127: User created successfully! Pop-up.....80

Figure 128: Edit User81

Figure 129: Edit User - Add Roles RM.....81

Figure 130: Error Pop-up82

Figure 131: User role updated successfully! Pop-up82

Figure 132: Edit User - Add Permissions.....83

Figure 133: Edit User- Edit Info Button.....83

Figure 134: Manage User- Edit User.....84

Figure 135: Edit User Info RM.....84

Figure 136: User updated successfully!.....85

Figure 137: Delete User Pop-Up85

Figure 138: User deleted! Pop-Up86

Figure 139: Manage Users – Impersonate User RM86

Figure 140: Manage Roles RM87

Figure 141: Add Role-RM.....88

Figure 142: Warning Pop-Up88

Figure 143: Role created successfully! Pop-up89

Figure 144: Edit Role RM90

Figure 145: Role updated successfully!91

Figure 146: Delete Role Pop-Up91

Figure 147: Role deleted successfully! Pop-Up.....91

Figure 147: Fault Notification – Email Example92

List of Tables

Table 1 Features for LM & RM Applications1
Table 2: Main Components for Faults18
Table 3: Main Components for Alarms.....23
Table 4: Reports Generated.....27

1 Local and Remote Monitoring Applications

The Local Monitoring (LM) and the Remote Monitoring (RM) applications provide authorized users the ability to access one or more of their elevators from a computer. The application provides real-time tracking of elevators via a web browser, access reporting functions, and use command and control features.

The LM can handle multiple Groups on the same site while the RM can handle multiple contractors and sites with multiple groups.

The following web browsers are compatible with the LM and RM application.

- Mozilla Firefox
- Google Chrome
- Microsoft Edge (Chrome Edition)

2 Features

The LM and RM consist of an array of features.

The table below lists the features of the LM and RM applications.

Table 1 Features for LM & RM Applications

Module	Description	LM	RM
Dashboard	Allows an authorized user to access features depending on user permissions.		X
Monitoring	<p>Visually monitor one or more elevator groups in one of four different Elevator Views:</p> <ul style="list-style-type: none"> • Small • Compact • Normal • Tall <p>Perform a car call using the car call model, click on the available cars in group/ bank.</p> <p>Perform a hall call using the hall call model, click on the group.</p> <p>The Monitoring module displays the following:</p> <ul style="list-style-type: none"> • Current Connection of Group/ Bank • Current Mode of Car • Car animations for Current Floor • Car animations for Door State • Destination Floor • Car Call Indicators • Hall Call Indicators • Direction Arrow Indicator 	X	X

Module	Description	LM	RM
Fault	<p>Allows authorized users to monitor Fault details encountered per car for several groups. Records can be sorted and searched by:</p> <ul style="list-style-type: none"> • Fault Number • Fault Name • Description • Solution • Date & Time <p>View the details of each record, click on Action. Delete all fault records for all groups and all cars, click Clear All Faults.</p>	X	X
Alarms	<p>Allows authorized users to monitor Alarm details encountered per car for several groups per contractors and sites. Records can be sorted and searched by:</p> <ul style="list-style-type: none"> • Alarm Number • Alarm Name • Description • Solution • Date & Time <p>View the details of each record, click on Action. Delete all Alarm records for all groups and all cars, click on Clear All Alarms.</p>	X	X
Reports	<p>Allows authorized users to view a summary of records related to monitoring, faults, alarms, car calls, and hall calls per group. Reports can be exported as pdf files.</p>	X	X
Car Calls	<p>Allows authorized users to perform car calls per car for each group by the Local Monitoring Module. Allows authorized users to perform car calls per car for each group available at Contractors and Sites monitored by the Remote Monitoring Module.</p>	X	X
Hall Calls	<p>Allows authorized users to perform hall calls per group. Allows authorized users to perform hall calls per groups available at Contractors and Sites monitored by the Remote Monitoring Module.</p>	X	X
Security	<p>Allows authorized users to specify secured floors for car call per car for each group. Users can secure or unsecure floors individually or all once.</p>	X	X

Module	Description	LM	RM
Scheduler	<p>Allows authorized users to set the schedules of secured floors for car call per group or groups available in Contractors and Sites.</p> <p>Schedules are triggered once the schedule's start time matches the NUC's current time (the NUC is where LM is installed).</p> <p>Schedules can be set by:</p> <ul style="list-style-type: none"> • One time only • Selected days of the week • Monthly occurrence of day of week • Yearly 	X	X
Parking	<p>Allows authorized users to select parking options.</p> <p>See the <i>C4 GUI Manual</i>.</p>	X	X
Contractor	<p>Allows authorized users to manage contractor records. Users can add, edit, and delete contractor details. Records can be filtered differently based on the user's role.</p> <p>Records can be sorted and searched by the details on the list.</p>		X
Sites	<p>Allows authorized users to manage site records. Users can add, edit, and delete site details. Records can be filtered differently based on the user's role.</p> <p>Records can be sorted and searched by the details on the list.</p>		X
Jobs	<p>Allows authorized users to manage job records. Users can add, edit, and delete job details. Records can be filtered differently based on the user's role.</p> <p>Records can be sorted and searched by the details on the list.</p>		X

3 Login Page

The Login Page requires user identification and authentication, prompting users for their Username and Password to access LM and RM applications. The user can toggle Password visibility via the eye icon in the Password input field.




Figure 1: Login Page

4 Header

The Header consists of three key components:

- Hamburger Menu
- Toggle Dark/Light Theme
- User Account



Figure 2: Header

4.1 Hamburger Menu

The Hamburger menu collapses the Navbar at the left of the screen, leaving only the informative icons displayed. When the user hovers the mouse over the Navbar menu, the labels are displayed again.




Figure 3: Collapsible Navbar

4.2 Toggle Dark/Light Theme

The Toggle Dark/ Light Theme allows users to customize their navigation mode according to their own preferences. The idea behind dark theme is that it reduces the light emitted by the device while maintaining the minimum color-contrast ratio required for readability.




Figure 4: Dark Theme View

4.3 User Account

The User Account displays the username and email along with a Sign Out button to exit the application.




Figure 5: User Account

5 Navbar

The Navbar is displayed at the left of the screen and expanded by default. It consists of a set of menu options to navigate through the application. A footnote of the application Version is included at the bottom of the Navbar.




Figure 6: Navbar – LM




Figure 7: Navbar – RM

6 View – Local Monitoring

In the LM application, the View module displays the current status of all monitored cars per group. A user can select one of four options to view the status from the Elevator View drop-down.

- Small
- Compact
- Normal
- Tall




Figure 8: Small View-LM




Figure 9: Compact View-LM




Figure 10: Normal View-LM Part 1 of 2



Figure 11: Normal View-LM Part 2 of 2




Figure 12: Tall View-LM Part 1 of 2




Figure 13: Tall View-LM Part 2 of 2

Cars are displayed per group in the form of models and color-coded based on their status.

- Green – Normal
- Gray – Offline
- Blue – Independent Service

6.1 Group Model-LM

The Group Model consists of the Group Name, Group Status (color-coded), Hall Call Indicators, and Number of Cars. To perform a hall call using the hall call model, click on the group model.

Enter Hall Call consists of two sections:

- Front
- Rear

NOTE: The user can perform a hall call by clicking on a desired floor and tracking the nearest car’s behavior.




Figure 14: Enter Hall Call-LM

Group Controls informs the user about the Group Status.




Figure 15: Group Control-LM

6.2 Car Model-LM

The Car Model consists of the Car Name, Status, Current Floor, Destination Floor, Door State, Car Call Indicators, and a Direction Arrow Indicator. To perform a car call using the car call model, click on the car model.

Enter Car Call – consists of two sections:

- Front
- Rear

NOTE: If the Car does not have a front or rear door for certain floors, the floor will be omitted from the display in the Front or Rear section. The user can perform a car call by clicking on a desired floor and tracking the car’s behavior.




Figure 16: Enter Car Call-LM

Car Controls – consists of two sections:

- Section 1 – Informs the user about the Car Number, Status (color-coded), Current Floor, Car Speed, and Door State.
- Section 2 – Includes a set of car controls lined with the Turn On switch.




Figure 17: Car Controls-LM

7 View – Remote Monitoring

In the RM application, the View module displays the current status of all monitored cars per group/ bank, per contactor, and per site. Similarly, to the LM application a user can select one of four options to view the status from the Elevator View drop-down list.

- Small
- Compact
- Normal
- Tall

Cars are displayed per group/ bank, per contactor, and per site. in the form of models and color-coded based on their status.

- Green – Normal
- Gray – Offline
- Blue – Independent Service

NOTE: The difference between the RM and LM applications is the RM application does not feature the Car/Group Controls tabs.




Figure 18: Small View-RM




Figure 19: Compact View-RM




Figure 20: Normal View-RM




Figure 21: Tall View-RM

7.1 Group Model-RM

The Group Model consists of the Job Name.

Enter Car Call – Consists of two sections:

- Front
- Rear

NOTE: The user can perform a hall call by clicking on a desired floor and tracking the nearest car’s behavior.




Figure 22: Enter Hall Call-RM

7.2 Car Model-RM

The Car Model consists of the Job Name.

Enter Car Call – Consists of two sections:

- Front
- Rear

NOTE: If the car does not have a front or rear door for certain floors, the floor will be omitted from the display in the Front or Rear section. The user can perform a car call by clicking on a desired floor and tracking the car’s behavior.




Figure 23: Enter Car Call-RM

8 Recent Faults List

In the LM application, the Recent Faults Module shows a list of faults for a selected car, per group. In the RM application, the Recent Faults Module shows a list of faults for all monitored cars per group/ bank, per contactor, and per site. To view a list of faults for a car, click on the Car Number tab.

Records can be filtered and searched by:

- Fault Number
- Fault Name
- Description
- Solution
- Date & Time

The table below lists the main components for Faults.

Table 2: Main Components for Faults

Components	Position	Function
Search Bar	Top-Right	Browse through the faults of a selected car
Entries Drop-Down	Bottom-Left	Customize the listing display by adjusting the number of entries shown per page
Pagination Buttons	Bottom-Right	Seamlessly navigate through the listing
Clear All Faults	Top of Search Bar	Delete all fault records for all groups and all cars

The screenshot displays the 'Recent Faults List' interface. At the top, there is a 'Select Group' dropdown menu currently set to 'Generic JOB', with a red arrow pointing to it. Below this is a navigation bar with tabs for 'Car 1', 'Car 2', 'Car 3', and 'Car 4', where 'Car 2' is selected. A 'Clear this List' button is located on the right side of the table. The table itself has the following columns: Car No., Fault No., Fault Name, Description, Solution, Floor Pl, Car Speed, Car Position, Date & Time, and Actions. The data rows show various fault events such as 'Traction Loss (L)', 'MRB CPU Stop Sw', and 'MRB Board Rst'. At the bottom of the interface, there is a pagination control showing 'Showing 1 to 10 of 14 entries' and buttons for 'Previous', '1', '2', and 'Next'.

Figure 24: Recent Faults List-LM




Figure 25: Recent Faults List-RM

8.1 Fault Details


To view fault details, click on the View button under the Actions column. A pop-up window displays providing a one-sentence description of the fault as well as a solution for resolving it. Click on Done or [X] to close the pop-up.



Figure 26: Fault and Traction Loss Pop-up

8.2 Fault Reports

From the Recent Faults List, click on the Go Directly to Faults/Alarms Reports to access all recent faults. The Report Type is set by default to Faults/ Alarms History, which lists both faults and alarms. For a description of all possible faults within the system, select Faults/Alarms Definition from the Report Type drop-down list and click View Report to view a list of all faults. Faults are sorted by Fault Number and Fault Name.



The screenshot displays the 'Reports' section of the application, specifically the 'Faults Definition' view. The interface includes a header with 'Choose Theme' and 'User' options. Below the header, there are filters for 'Group' (set to 'Generic JOB LM') and 'Report Type' (set to 'Faults/Alarms Definition'). A 'View Report' button is visible. A 'Filter by' section allows filtering by 'Fault/Alarm' (set to 'Faults'). The main content is a table with the following data:

Fault No.	Fault Name	Actions
0	No Fault	
1	Governor	
2	Governor (L)	
3	EB1 Drop	
4	EB1 Drop (L)	
5	Unintended Move	
6	Unintended Move (L)	
7	Traction Loss	
8	Traction Loss (L)	
9	Speed Dev	

At the bottom of the table, there is a 'Show 10 entries' dropdown and a pagination control showing 'Showing 1 to 10 of 918 entries' with page numbers 1, 2, 3, 4, 5, and 92.

Figure 27: Reports – Faults Definition

To view Fault Details, click on the View button under the Actions column for that fault. A pop-up window displays providing a general fault summary. Click on Done or [X] to close the pop-up.




Figure 28: Reports – Fault Details Pop-up

A track record of all occurred faults are likewise recorded by the system. Select Faults/Alarms History from the Record Type drop-down list and filter by Type (= Faults), Date Range, and Cars. The report generated displays the faults that have occurred over a selected time-period for a designated car(s).




Figure 29: Report – Faults History

To export the report as a PDF, click the Export button on the Reports screen.

Faults Definition - Report

Date Range: All

Faults Definition

Search:

Fault No.	Fault Name	Actions
0	No Fault	
1	Governor	
2	Governor (L)	
3	EB1 Drop	
4	EB1 Drop (L)	
5	Unintended Move	
6	Unintended Move (L)	
7	Traction Loss	
8	Traction Loss (L)	
9	Speed Dev	

Show 10 entries

Showing 1 to 10 of 318 entries Previous 1 2 3 4 5 ... 52 Next

Figure 30: Faults Definition - Report

Faults History - Report

Date Range: 06/01/2021 12:00 AM - 06/08/2021 11:59 PM

Faults History

Search:

Date & Time	Car No.	Fault	Fault Name	Floor Pl	Car Speed	Car Position
06/07/2021 13:28:57	2	75	Flood OOS	1	0	10' 0.059"
06/07/2021 10:56:48	2	751	CPLD Insp.	2	0	19' 11.744"
06/07/2021 10:56:16	2	342	Drive Offline	2	0	19' 11.744"
06/07/2021 10:56:00	2	63	Car Bypass Sw	2	0	19' 11.744"
06/07/2021 10:55:59	2	739	CPLD Hall Byp	2	0	19' 11.744"
06/07/2021 10:55:53	2	63	Car Bypass Sw	2	0	19' 11.744"
06/07/2021 10:55:41	2	342	Drive Offline	2	0	19' 11.744"
06/07/2021 10:55:31	2	320	CEDES2 Offline	2	0	19' 11.744"
06/07/2021 10:55:30	2	306	CEDES1 Offline	2	0	19' 11.744"
06/07/2021 06:46:47	2	77	MRA CPU Stop Sw	2	0	19' 11.645"

Figure 31: Faults History - Report

9 Recent Alarms

In the LM application, the Recent Alarms Module shows a list of alarms for a selected car, per group. In the RM application, the Recent Alarms Module shows a list of alarms for all monitored cars per group/ bank, per contactor, and per site. To view a list of alarms for a car, click on the Car Number tab.

Records can be filtered and searched by:

- Alarm Number
- Alarm Name
- Description
- Solution
- Date & Time

The table below lists the main components for Alarms.

Table 3: Main Components for Alarms

Components	Position	Function
Search Bar	Top-Right	Browse through the alarms of a selected car
Entries Drop-Down	Bottom-Left	Customize the listing display by adjusting the number of entries shown per page
Pagination Buttons	Bottom-Right	Seamlessly navigate through the listing
Clear All Alarms	Top of Search Bar	Delete all alarm records for all groups and all cars

The screenshot displays the 'Recent Alarms List' interface. At the top, there is a 'Select Group' dropdown menu set to 'Generic JOB LM'. Below this, there are pagination buttons for 3, 4, and 5. A red arrow points to the '3' button. The main area contains a table with the following data:

Car	Alarm No.	Alarm Name	Description	Solution	Floor Pl.	Car Speed	Car Position	Date & Time	Actions
3	1447	Shield COM RPI	Shield has not se...	Check wiring of p...	52	0	0	07/09/2021 04:31:31	ⓘ
3	1447	Shield COM RPI	Shield has not se...	Check wiring of p...	52	0	0	07/09/2021 04:31:30	ⓘ
3	1447	Shield COM RPI	Shield has not se...	Check wiring of p...	52	0	0	07/09/2021 03:36:17	ⓘ
3	1447	Shield COM RPI	Shield has not se...	Check wiring of p...	52	0	0	07/07/2021 09:00:36	ⓘ
3	1447	Shield COM RPI	Shield has not se...	Check wiring of p...	52	0	0	07/07/2021 09:00:36	ⓘ
3	1447	Shield COM RPI	Shield has not se...	Check wiring of p...	52	0	0° 0.019°	07/07/2021 04:00:19	ⓘ
3	1447	Shield COM RPI	Shield has not se...	Check wiring of p...	52	0	0° 0.019°	07/01/2021 06:30:30	ⓘ

At the bottom of the table, there is a 'Show 10 entries' dropdown and a 'Showing 1 to 7 of 7 entries' indicator with 'Previous' and 'Next' buttons.

Figure 32: Recent Alarms Module-LM




Figure 33: Recent Alarms Module-RM

9.1 Alarm Details

To view alarm details, click on the View button under the Actions column in the Recent Alarms Listing table. A pop-up window displays a one-sentence description of the alarm as well as a solution, if applicable, for a resolution. Click on Done or [X] to close the pop-up.




Figure 34: Alarm Details Pop-up

9.2 Alarm Reports

The Reports Module shows a description of all possible alarms within the system. To view the list of alarms, select Faults/Alarms Definition from the Report Type drop-down list. Then from the Filter by drop-down list select Alarms.




Figure 35: Reports – Alarm Definition

To view Alarm Details, click on the View button under the Actions column for that alarm. A pop-up window displays providing a general alarm summary. Click on Done or [X] to close the pop-up.




Figure 36: Reports – Alarm Details

A track record of all occurred alarms are likewise recorded by the system. Select Faults/Alarms History from the Record Type drop-down list and filter by Type (= Alarms), Date Range, and Cars. The report generated displays the alarms that have occurred over a selected time-period for a designated car(s).




Figure 37: Reports – Alarm History

To export the report as a PDF, click the Export button on the Reports screen.




Figure 38: Alarm History - Report

10 Reports

The Reports Module allows for selecting a type of report to view.

The table below lists the reports that can be generated with their corresponding filters.

Table 4: Reports Generated

Report Name	Filter
Car Calls by Floor	Filtered by Date and Time range
Car Calls by Time of Day	Filtered by Date range
Car Use	Filtered by Date range and Cars
Door Times	Filtered by Date range and Floors
Faults/Alarms Definition	Filtered by Record Type
Faults/Alarms History	Filtered by Record Type, Date and Time range, and Cars. Records can be searched by the details available.
Floor to Floor Times	Filtered by Date range and Floors
Hall Calls by Floor	Filtered by Date and Time range
Hall Calls by Time of Day	Filtered by Date range
Out of Service List	Filtered by Date and Time range and Cars
In-Service Overview	Filtered by Date range
Program Events	Filtered by Date and Time range and Event Type
Wait Times – Average by Floor	Filtered by Date and Time range
Wait Times – Average by time of day	Filtered by Date range
Wait Times – Distribution by Wait Time	Filtered by Date and Time range
Wait Times – Distribution by Time of Day for Down Calls	Filtered by Date range
Wait times – Distribution by Time of day for Up Calls	Filtered by Date range
Wait Times – Longest (max)	Filtered by Date and Time range. Records can be searched and sorted by the details available.

11 Car Calls

The Car Calls Module provides a simulation of a car call, for all online cars.

11.1 Enter Car Calls

Only the floors that are shown without a lock are available for car calls. In the LM application, to make a car call, click on an online car from the Car Number tab > Enter Car Calls > Select Floor Number. Once selected, the button color changes to a solid blue.




Figure 39: Enter Car Calls-LM




Figure 40: Enter Car Call – Floor Selected-LM

In the RM application, to configure a car call, select the Contractor, Site, and Group from the drop-down lists. Then, choose a car name from the Car tab > Enter Car Calls > Select Floor Number.




Figure 41: Enter Car Call-RM

11.2 Car Controls

Car Controls consists of two sections.

- Section 1 – Displays the Car Label, Status (color-coded), Current Floor, Car Speed, and Door State. The Door State can be shown as either open or closed.
- Section 2 – Includes a set of car controls lined with the Turn On switch. To enable or disable a service, click on the Turn On button next to it. If the “Independent Service” control is enabled, the Door State shows as closed.

To turn on or off a service, click on the button next to the service.




Figure 42: Car Control-LM

Only one type of control can be turned On or Off. The rest of the controls are not available to be selected.




Figure 43: Car Control – Service is Off-LM

11.3 Group Controls

Group Control displays the type of group for the car. If all types of car controls are off, the Group Controls show as Normal.




Figure 44: Group Control – Normal-LM

If, for example, Independent Service is turned on, the Group Control displays Independent Service in blue.




Figure 45: Group Control – Independent Service-LM

Group Controls displays the type of group for the car. If all types of car controls are off, the Group Controls show as Normal.

12 Hall Calls

The Hall Calls Module allows for simulating a hall call.

In the LM application, select the Group from the drop-down list. In the RM application, select the Contractor, Site, and Group from the drop-down lists. Hall calls can be made by clicking on the button that refers to a floor and direction. When the button is clicked, the controller logs the hall call in the designated direction. If there are existing hall calls in the system, the corresponding button that refers to a floor and direction is activated. Buttons are separated in two sections, Front and Rear. If there is no Rear door for the car, only the Front section is displayed.




Figure 46: Enter Hall Calls-LM




Figure 47: Enter Hall Calls – Multiple Calls-LM




Figure 48: Enter Hall Calls-RM

13 Parking

The Parking Module allows for selecting parking options. Parking is the process of moving an idle car to a designated floor. Its aim is to reduce the amount of time it takes to service busy floors. For example, if a car has completed all of its requests, it will return to the “parking” floor and remain there until another request is made. See the *C4 GUI Manual* for more information.




Figure 49: Parking-LM

14 Manage-LM

In the LM application, the Manage Module allows administrators to coordinate users, roles, and devices in the system. This section lists details for each submodule.

14.1 Users

Each user is enrolled into the system and assigned a role. Users are logged into the system to execute granted tasks within the role that has been assigned to them. Users can be sorted by clicking on the Filter by button. Columns can be filtered by selecting either a type of Role and/or Status from the drop-down list.




Figure 50: Manage Users-LM

14.1.1 Add User

To add a new user click on Users. The Add User screen is displayed, prompting for the new user's basic information.

- First Name
- Last Name
- Email Address
- Contact Number
- Status – Whether Active or Inactive (checkmark corresponds to Active)
- Username
- Password – Has to meet uppercase, number, special characters, and length criteria




Figure 51: Add User-LM

When completed, click on the Save button. Upon successful submission, A pop-up displays informing the Administrator that the new user has been created successfully.




Figure 52: Users created successfully! Pop-Up

Click OK, the Edit User screen is displayed and consists of two sections.

- Section 1 – Represents an identity card of the newly added user and the information submitted in the Add User screen.
- Section 2 – Consists of a drop-down list including the different role options.

Each user must be assigned a role. Select the role of the user by clicking on the Roles drop-down list.




Figure 53: Edit User – Landing Page-LM

When completed, click on the Save button. A pop-up displays informing that the User role has been updated successfully.




Figure 54: User role updated successfully! Pop-Up

The user has now been added to the Users Listing.

14.1.2 Edit User

There are two ways to Edit a user’s information.

- When the user is being added to the system (via the Edit Info button)
- From the Users Listing (via the Edit button under Actions)




Figure 55: Edit User Method 1 – Edit Info Button




Figure 56: Edit User Method 2 – Edit Under Actions

When clicked, the user is redirected to the Edit User Info screen.




Figure 57: Edit User Info -LM

When completed, click on the Save button. A pop-up displays informing that the user information has been updated successfully.




Figure 58: User updated successfully! Pop-Up

14.2 Roles

The role defines the user’s permissions within the system. It is the authorization given to users that enables them to access specific resources. User permissions also designate the type of access; for example, read-only only allows for data to be viewed, read-write allows for data to be viewed and updated. Roles are assigned to grant users access to the functions required to execute a task. The predefined roles that can be assigned are as follows:

- Smartrise Admin
- Servicing Admin

- User Admin
- User




Figure 59: Manage Roles -LM

14.2.1 Add Role

To add a new role, click on the Add Role button from the Manage Roles screen. The Add Role screen is displayed, prompting for new role’s basic information.

- Role Name
- Description – While optional, a short description of the role can be useful in conveying an idea of what the role entails.

After the role name and description has been entered, click on Permissions collapsible label to expand a wide collection of permissions to select from. For example, if the **View** check box is selected, all its subtasks are automatically selected.




Figure 60: Add Role-LM

When completed, click on the Save button. A pop-up displays informing that the new role has been created successfully. Click on OK to proceed.




Figure 61: Role created successfully! Pop-Up

14.2.2 Edit Role

An existing role can be edited to modify permissions or change the role description. To Edit a Role, click on the Edit Role button under the Action column for that role and make the necessary changes. For example, TestRole Permissions are being modified - the View permissions are removed, and the Scheduling permissions are added.




Figure 62: Edit Role-LM

When completed, click on the Save button. A pop-up displays informing that the role has been updated successfully. Click on OK to proceed.




Figure 63: Role updated successfully! Pop-Up

14.2.3 Delete Role

An existing role can be deleted by clicking on the Delete Role button under the Actions column for that role. A pop-up displays prompting confirmation from the Administrator.




Figure 64: Confirmation Pop-Up

Upon confirmation, a success pop-up displays informing that the role has been successfully deleted.




Figure 65: Role deleted successfully! Pop-Up

14.3 Devices

Devices display all available viewing devices that can be accessed by the Local Monitoring System. Devices are sorted and searched by:

- Viewing Device Name
- Mac Address
- IP Address




Figure 66: Manage Devices-LM

14.3.1 Edit Device

For each address, a device name is assigned. Click on Edit Device under the Action column to edit a device. The Edit Viewing Devices screen is displayed and includes the following components:

- Viewing Device Name
- Mac Address
- IP Address
- Elevator View – Contains a drop-down list of options for the elevator view format, and a checklist of visible elevator views to choose from
- Bank – Contains a list of banks the user must choose from. (A bank is used when multiple groups fall under the same job.)
- User Login – Contains a drop-down list of options for the user login requirement
- Controls – Allows the user select to latch a car call, hall call, or both.




Figure 67: Edit Viewing Devices-LM

When completed updating the viewing devices, click on the Save button. If a mandatory field has not been filled out correctly, a Warning pop-up is displayed.




Figure 68: Warning Pop-Up

Upon successful submission, a pop-up displays informing that the device has been updated successfully. Click on OK to proceed.




Figure 69: Device updated successfully! Pop-Up

14.3.2 Ping the Network

To verify whether a user can connect to the network, the user can either ping the Mac or IP address. Click the Ping Device button under the Action column. If the user can access the network, a success pop-up is displayed.




Figure 70: Ping Successful Pop-Up

15 Settings-LM

The settings Module allows the user to configure the settings for each DAD unit.

15.1 Group Configuration

The Group Configuration settings allows for setting the IP address for the DAD unit being used for a particular site. In case multiple DAD units are assigned, each DAD unit will have its own IP address and configuration file.

To set up the Group Configuration for the DAD unit, enter the IP address. The Port will always remain 9100. Click on Choose File and select the *.h configuration file from Windows Explorer then click Open.




Figure 71: Settings – Group Configuration-LM

When completed configuring the DAD unit, click on the Save button. A success-pop up is displayed . Click on OK to proceed on updating the file.




Figure 72: File successfully saved! Pop-Up

16 Remote Monitoring Application

The Remote Monitoring Application allows authorized users to configure the application from a remote location.

16.1 Dashboard

In the RM application, the Dashboard allows authorized users to search and filter contractors by location as well as monitor and manage users.




Figure 73: Super Admin Dashboard

16.2 Manage -RM

In the RM application, the Manage Module allows authorized users to coordinate Contractors, Sites, Jobs, Users, and Roles in the system.

16.2.1 Contractors

The Manage Contractors section allows authorized users to manage contractor records. Records can be filtered and searched by ID, Name, Address, City, State, Zip Code, and Phone Number. Users can add, view, edit, and delete Contractor details. Each contractor monitors and tracks elevator sites, and its subsequent users. Every contractor might include several sites.




Figure 74: Manage Contractors-RM

16.2.1.1 Add Contractor

To add a new contractor, click on the Add Contractor button. The Add Contractor screen is displayed, prompting for the new contractor's information.

- Contractor ID
- Contractor Name
- Address
- State
- City
- Zip Code
- Phone Number
- Comment (Optional)




Figure 75: Add Contractor RM

When completed adding the contractor information, click on the Save button. If a mandatory field has not been filled out correctly, a Warning pop-up is displayed.




Figure 76: Warning Pop-up

Upon successful submission, a pop-up displays informing a new contractor has been added successfully.




Figure 77: Contractor created successfully! Pop-up

Click the OK button. The View Contractor screen is displayed. The View Contractor screen consists of two sections.

- Section 1 – Contractor’s contact information
- Section 2 – Assigned Sites and Users




Figure 78: View Contractor-RM

16.2.1.2 View Contractors

The View Contractor screen allows an authorized user to view contractor’s contact information and the assigned sites and users. From this screen the authorized user can also add, edit, and delete Sites or User records.

There are two ways to view contractor information.

- From the Manage Contractors screen – Click View under the Actions column
- After a contractor has been added and the authorized user clicks OK from the Successful pop-up




Figure 79: View Contractor – Sites





Figure 80: View Contractor – User

16.2.1.3 Add Site

To add a new site, go to the Site tab and click on the Add Site button. The Add Site screen is displayed, prompting for the new site’s information:

- Site ID
- Site Name
- Contractor
- Coordinates (latitude, longitude)
- Address
- State
- City
- Zip Code
- Phone Number
- Comment (Optional)



The screenshot shows the 'Add Site' form in the Smartrise application. The form is titled 'Add Site' and has a 'Save' button at the bottom right. The form includes the following fields:

- Site ID: * (Text input, value: 5)
- Site Name: * (Text input, value: Site Name)
- Contractor: * (Dropdown menu, value: Contractor 1)
- Coordinate Latitude: * (Text input, value: 22)
- Coordinate Longitude: * (Text input, value: 22)
- Address 1: * (Text input, value: Address 1)
- Address 2: (Text input, value:)
- Address 3: (Text input, value:)
- State: * (Dropdown menu, value: State 1)
- City: * (Dropdown menu, value: City 1)
- Zip Code: * (Text input, value: 0000)
- Phone Number: * (Text input, value: 00011222333)
- Comment: (Text area, value:)

Figure 81: Add Site (Contractor)-RM

When completed adding a site, click on the Save button. If a mandatory field has not been filled out correctly, a Warning pop-up is displayed.




Figure 82: Warning Pop-Up

Upon successful submission, a pop-up displays informing a new site has been added successfully.




Figure 83: Site created successfully! Pop-up

Click the OK button. The system returns to the View Contractor screen showing the added site under the Site tab.





Figure 84: View Contractor-Added Site-RM

16.2.1.4 Add User

To add a new user, go to the User tab and click on the Add User button. The Add User screen is displayed, prompting for the new user's basic information.

- Last Name
- Email Address
- Contact Number
- Status – Whether Active or Inactive (checkmark corresponds to Active)
- Username
- Password – Must consist of uppercase, number, special characters, and length criteria



The screenshot shows the 'Add User' form in the Smartrise application. The form is titled 'Add User' and includes a sidebar with navigation options like Dashboard, View, Recent Faults List, Recent Alarms List, Reports, Car Calls, Hall Calls, Scheduling, Parking, Manage, Contractors, Sites, Jobs, Users, and Roles. The main form area contains a 'Basic Info' section with fields for First Name, Last Name, Email Address, Contact Number, User Group (Group1), Contractor (Contractor1), Status (Active), Login Username, and Password. A 'Cancel' button and a 'Save' button are at the bottom right.

Figure 85: Add User (Contractor)-RM

When completed adding a new user, click on the Save button. If no information has been entered in a required field, a value is required message is displayed for that field.




Figure 86: Contractor Add User – Value is Required Message

Upon successful submission, a pop-up displays informing a new user has been added successfully.




Figure 87: User created successfully! Pop-Up

Click the OK button. The system returns to the View Contractor screen showing the added user under the Users tab.




Figure 88: Added User (Contractor)-RM

16.2.1.5 Edit Contractor

Contractor information can be updated when there is a change of to the contractor’s contact information.

There are two ways to edit contractor’s information.

- From the View Contractors screen – Click Edit Info button
- From the Manage Contractors screen – Click Edit under the Actions column




Figure 89: View Contractor – Edit Info Button




Figure 90: Manage Contractor – Edit User

From the Edit Contractor screen, update the information and click Save.




Figure 91: Edit Contractor-RM

Upon completion, a pop-up displays informing the contractor’s information has been updated successfully.




Figure 92: Contractor updated successfully! RM

16.2.1.6 Delete Contractor

A contractor can be deleted by clicking on the Delete Contractor button under Actions column for that contractor on the Manage Contractor screen. A pop-up displays prompting confirmation from the Administrator.




Figure 93: Delete contractor? Pop-Up

Upon confirmation, a success pop-up displays informing that the contractor has been successfully deleted.




Figure 94: Contractor deleted successfully! Pop-Up

16.2.2 Sites

The Manage Sites section allows authorized users to manage site records. Records can be filtered and searched by ID, Name, Address, City, State, Zip Code, and Phone Number. Users can add, view, edit, and delete site details. Each site must be assigned to a single contractor.




Figure 95: Manage Sites-RM

16.2.2.1 Add Site

To add a new site, click on the Add Site button. The Add Site screen is displayed, prompting for the new site's information.

- Site ID
- Site Name
- Contractor
- Coordinates (latitude, longitude)
- Address
- State
- City
- Zip Code
- Phone Number
- Comment (optional)




Figure 96: Add Site(Site) RM

When completed adding a new site, click on the Save button. If no information has been entered in a required field, a value is required message is displayed for that field.




Figure 97: Add Site – Value is Required Message

Upon successful submission, a pop-up displays informing a new site has been added successfully.




Figure 98: Site created successfully! Pop-up

Click the OK button. The View Site screen is displayed. The View Site screen consists of two sections.

- Section 1 – Displays the location and contact information of the site.
- Section 2 – Assigned users to the site.




Figure 99: View Site-RM

16.2.2.2 View Site

The View Site screen allows an authorized user to view name and location of the site and assigned users.

There are two ways to view site information.

- From the Manage Sites screen – Click View under the Actions column.
- After a site has been added and the authorized user clicks OK from the Successful pop-up.





Figure 100: View Site – User

16.2.2.3 Add User

To add a new user, click on the Add User button. The Add User screen is displayed, prompting for the new user’s basic information.

- First Name
- Last Name
- Email Address
- Contact Number
- User Group
- Contractor
- Site
- Status – Whether Active or Inactive (checkmark corresponds to Active)
- Username
- Password – Must consist of uppercase, number, special characters, and length criteria



The screenshot shows the 'Add User' form in the SMARTRISE application. The form is titled 'Add User' and includes a breadcrumb 'All Users / Add Users'. A note at the top of the form area says 'Fill in the appropriate white spaces below. Essential information is mark with an asterisk (*)'. The form fields are as follows:

- Basic Info**
 - First Name: *
 - Last Name: *
 - Email Address: *
 - Contact Number: *
- User Group:** * (pre-filled with 'Group1')
- Contractor:** * (dropdown menu showing 'Contractor1')
- Site:** 18 * (pre-filled with 'Site 1')
- Status:** * (radio button for 'Active')
- Login**
 - Username: *
 - Password: *

At the bottom right of the form, there are 'Cancel' and 'Save' buttons.

Figure 101: Add User RM

When completed adding a new user, click on the Save button. If no information has been entered in a required field, a value is required message is displayed for that field.




Figure 102: Site Add User – Value is Required Message

Upon successful submission, a pop-up displays informing a new user has been added successfully.




Figure 103: User created successfully! Pop-Up

Click the OK button. The system returns to the View Site screen showing the added user.




Figure 104: Added User

16.2.2.4 Edit Site

Site information can be updated when there is a change to the site’s location.

There are two ways to edit site information.

- From the View Sites screen – Click Edit Info button
- From the Manage Sites screen – Click Edit under the Actions column




Figure 105: View Site – Edit Info Button RM




Figure 106: Manage Site – Edit User RM

From the Edit Site screen, update the information and click Save.




Figure 107: Edit Site RM

Upon completion, a pop-up displays informing the sites information has been updated successfully.




Figure 108: Site updated successfully!

16.2.2.5 Delete Site

A site can be deleted by clicking on the Delete Site button under Actions column for that site on the Manage Site screen. A pop-up displays prompting confirmation from the Admin.




Figure 109: Delete site? Pop-Up

Upon confirmation, a success pop-up displays informing that the site has been successfully deleted.




Figure 110: Site deleted successfully!

16.2.3 Jobs

The Manage Jobs section allows authorized users to manage job records. Records can be filtered differently based on the user's role. Users can add, view, edit, and delete job details. Records can be sorted and searched by the details on the list - Job Name, Job Number, Job ID, Group, and Assigned To (Site).




Figure 111: Manage Jobs-RM

16.2.3.1 Add Job

To add a new job, click on the Add Job button. The Add Job screen is displayed, prompting for the new job's information.

- Job Name
- Job Number
- Job ID
- Assign To (Site)




Figure 112: Add Job-RM

When completed adding a new user, click on the Save button. If no information has been entered in a required field, a value is required message is displayed for that field.




Figure 113: Add Job – Value is Required Message

Upon successful submission, a pop-up displays informing a new job has been added successfully.




Figure 114: Job created successfully! Pop-up

Click the OK button. The View Job screen is displayed.




Figure 115: View Job-RM

16.2.3.2 View Job

The View Job screen allows an authorized user to view details about the job.

There are two ways to view job information.

- From the Manage Jobs screen – Click View under the Actions column.
- After a job has been added and the authorized user clicks OK from the Successful pop-up.




Figure 116: View Job – Created Job

16.2.3.3 Edit Job

Job information can be updated when there is a change to who is assigned to the job.

There are two ways to edit job information.

- From the View Job screen – Click Edit Info button
- From the Manage Sites screen – Click Edit under the Actions column




Figure 117: View Job– Edit Info Button RM




Figure 118: Manage Job – Edit User

From the Edit Job screen, update the information and click Save.




Figure 119: Edit Job RM

Upon completion, a pop-up displays informing the jobs information has been updated successfully.




Figure 120: Job updated successfully!

16.2.3.4 Delete Job

A job can be deleted by clicking on the Delete Job button under the Actions column on the Manage Jobs screen. A pop-up displays prompting confirmation from the Admin.




Figure 121: Delete Generic Job Pop-Up

Upon confirmation, a success pop-up displays informing that the job has been successfully deleted.




Figure 122: Job deleted! Pop-Up

16.2.4 User

Each user is enrolled into the system and assigned a role. Users are logged into the system to execute granted tasks within the role that has been assigned to them. Users can be sorted by clicking on the Filter by button. Columns can be filtered by selecting either a Role and/or Status from the drop-down list.




Figure 123: Manage User RM

16.2.4.1 Add User

To add a new user, click on the Add User button. The Add User screen is displayed, prompting for the new user’s basic information

- First Name
- Last Name
- Email Address
- Contact Number
- User Group
- Contractor
- Site
- Status – Whether Active or Inactive (checkmark corresponds to Active)
- Username
- Password – Must consist of uppercase, number, special characters, and length criteria




Figure 124: Add User-RM

When completed adding a new user, click on the Save button. If no information has been entered in a required field, a value is required message is displayed for that field.




Figure 125: Add User – Value is Required Message

Upon successful submission, a pop-up displays informing a new user has been added successfully.




Figure 126: User created successfully! Pop-up

Roles and permissions must be assigned to the new user. To add roles and permissions, click OK from the successful pop-up. The Edit User screen displays.




Figure 127: Edit User

16.2.4.2 Add Role

From the Role tab, click on the Roles drop-down list. Select a role and click Save.




Figure 128: Edit User - Add Roles RM

When completed adding a role, click on the Save button. If no role has been selected, an Error pop-up is displayed.




Figure 129: Error Pop-up

Upon successful submission, a pop-up displays informing a new role has been added successfully.




Figure 130: User role updated successfully! Pop-up

16.2.4.3 Add Permissions

From the Permissions tab, select the permissions required for the user to perform their tasks.




Figure 131: Edit User - Add Permissions

16.2.4.4 Edit User

User information can be updated when there is a change to the user’s contact information and/or assigned roles and permissions.

There are two ways to edit user’s information.

- From the Manage User screen – Click Edit under the Actions column
- From the Edit User screen – Click on Edit Info button




Figure 132: Edit User- Edit Info Button




Figure 133: Manage User- Edit User

From the Edit User Info screen, update the information and click Save.




Figure 134: Edit User Info RM

Upon completion, a pop-up displays informing the user information has been updated successfully.




Figure 135: User updated successfully!

16.2.4.5 Delete User

A job can be deleted by clicking on the Delete Job button under the Actions column on the Manage User screen. A pop-up displays prompting confirmation from the Admin.




Figure 136: Delete User Pop-Up

Upon confirmation, a success pop-up displays informing that the user has been successfully deleted.




Figure 137: User deleted! Pop-Up

16.2.4.6 Impersonate User

User Impersonation allows administrators to access and operate the Remote Monitoring application as if they were logged in as that user. To impersonate or login as a certain user, click on the Impersonate Login button under the Actions column.




Figure 138: Manage Users – Impersonate User RM

16.2.5 Roles

The role defines the user's permissions within the system. It is the authorization given to users that enables them to access specific resources. User permissions also designate the type of access. Roles are assigned to grant users access to the functions required to execute a task. The pre-defined roles that can be assigned within the RM application are as follows:

- Super Admin
- Smartrise Admin
- Smartrise Agent
- Smartrise User

- Contractor Admin
- Contractor Agent
- Contractor User
- Site Admin
- Site Agent
- Site User




Figure 139: Manage Roles RM

16.2.5.1 Add Role

To add a new role, click on the Add Role button. The Add Role screen is displayed, prompting for the new user’s basic information.

- Role Name
- Description – While optional, a short description of the role can be useful in conveying an idea of what the role entails.
- User Group – Belongs to either Smartrise, Contractor, or Site.

After the basic information has been entered, click on Permissions collapsible label to expand the list of permissions to select from. An authorized user selects the permissions with subtasks that are required for the role. For example, if the Site check box is selected, all its subtasks will be automatically selected.




Figure 140: Add Role-RM

When completed adding roles and permissions, click on the Save button. If no permissions were selected, a Warning pop-up is displayed.




Figure 141: Warning Pop-Up

Upon successful submission, a pop-up displays informing a new role has been added successfully.




Figure 142: Role created successfully! Pop-up

16.2.5.2 Edit Role

A role can be edited to modify permissions or change the role description. To edit a role, from the Manage Roles screen, click on the Edit Role button under the Actions column.




Figure 143: Edit Role RM

Upon completion, a pop-up displays informing the role has been updated successfully.




Figure 144: Role updated successfully!

16.2.5.3 Delete Role

An existing role can be deleted by clicking on the Delete Role button under the Actions column on the Manage Role screen. A pop-up displays prompting confirmation from the Admin.




Figure 145: Delete Role Pop-Up

Upon confirmation, a success pop-up displays informing that the role has been successfully deleted.




Figure 146: Role deleted successfully! Pop-Up

16.3 Notification Engine

The Notification Engine is a feature available when using RM. If a valid email address and phone number are provided when creating users, those users should receive notifications by email and/or SMS whenever a fault is triggered.

Validation:

Fault Notification

Verify that users receive a notification by email and/or SMS when a fault is triggered. (An example of an email notification is shown below.)

Smartrise Fault Notification: "CustomWalkThr20" Car "Car 1"



monitoring@smartrise.us

To: user@company.us;

Location: CustomWalkThr20, Car Car 1.

Fault: #320 – CEDES2 Offline

On: 2026-02-27 19:50:38

Info: <https://monitoring.smartrise.us:8081/fault/320>

Figure 147: Fault Notification – Email Example